FUTURE MACHINERY

UJGMG

Quality is a measure of success



YUCHENG FUTURE AGRICULTURE MACHINERY CO. LTD.

禹城未来农业机械有限公司

All types of PTO shafts of Yucheng Future Agriculture Machinery Co. Ltd. brand guarantee quality and long-term reliability.

Yucheng Future Agriculture Machinery Co. Ltd. is a modern brand focused on the needs of the market. Our goal is to provide customers with products of the highest quality, professional service from the moment of placing the order
to its final implementation.

To meet the expectations of our Customers, we are constantly expanding
our offer and introducing new products.

We offer our clients after-sales service and the ability to modify already purchased PTO shafts.

When buying this type of product, it is worth considering whether
there is an after-sales service, what will be the waiting time and the cost of spare parts.
The wide range of spare parts that we offer to our Customers allows us to efficiently make
any repairs and modifications of PTO shafts.

In our warehouse we have a wide selection of articulated PTO shaft components:

- Universal Joints
- Inner profile yokes
- Outer spline yokes
- Wide angle joints
- Ratchet torque limiter, shear bolt, overrunning, friction and automatic clutches
- PTO adapters
- Profile tubes

We have the widest range of products related to PTO shafts and their elements. We guarantee a wide offer, convenient payment terms and favorable discounts and the lowest prices on the market.
Goods for customers across the country is delivered within 24 hours from the moment of ordering.

You didn’t find your shaft in the catalog? No problem!

**We build individual and custom shafts based on the submitted specifications.
Contact our adviser!**

Phone: +86-180-5340-8151

Email: info@ujgmg.com


Website: www.ujgmg.com

EN

YOKES SPLINE – 6 SPLINES, 34.9 MM (1 3/8'')








D (mm)	L (mm)	Ds (mm)	H (mm)	Part number	New part number
22	54	34,9 (1 3/8")	94	TS2254	YS2254-6
22	54	34,9 (1 3/8")	98	TS2254-6-1	YS2254-6B
23.8	61.3	34,9 (1 3/8")	102	TS2361	YS2361-6
23.8	61.3	34,9 (1 3/8")	104	TS2361-6-1	YS2361-6B
27	70	34,9 (1 3/8")	102	TS2770	YS2770-6
27	74.6	34,9 (1 3/8")	107	TS2774	YS2774-6
27	74.6	34,9 (1 3/8")	110	TS2774-6-1	YS2774-6B
28	73	34,9 (1 3/8")	105	TS2873-6	YS2873-6
30.2	80	34,9 (1 3/8")	112	TS3080	YS3080-6
30.2	80	34,9 (1 3/8")	115	TS3080-6-1	YS3080-6B
30.2	80	34,9 (1 3/8")	108	TS3080-6-2	YS3080-6B2
30.2	92	34,9 (1 3/8")	120	TS3092	YS3092-6
30.2	92	34,9 (1 3/8")	123	TS3092-6-1	YS3092-6B
30.2	106.3	34,9 (1 3/8")	132	TS30106	YS30106-6
32	76	34,9 (1 3/8")	120	TS3276	YS3276-6
34.9	94	34,9 (1 3/8")	115	TS3594	YS3594-6
34.9	106.3	34,9 (1 3/8")	128	TS34106	YS34106-6
34.9	106.3	34,9 (1 3/8")	140	TS34106-6-1	YS34106-6B
35	106.3	34,9 (1 3/8")	128	TS34106	YS35106-6
35	98	34,9 (1 3/8")	120	TS3598	YS3598-6
36	89	34,9 (1 3/8")	122	TS3689	YS3689-6
39	118	34,9 (1 3/8")	140	TS39118	YS39118-6
42	104.5	34,9 (1 3/8")	140	TS42104	YS42104-6

YOKES SPLINE – 6 SPLINES, 44.4 MM (1 3/4")






D (mm)	L (mm)	Ds (mm)	H (mm)	Part number	New part number
30.2	80	44.4 (1 3/4")	104	TS3080-1	YS3080-6A
30.2	106.3	44.4 (1 3/4")	132	TS30106-1	YS30106-6A
30.2	92	44.4 (1 3/4")	108	TS3092-2	YS3092-6A
32	76	44.4 (1 3/4")	112	TS3276-1	YS3276-6A
34.9	94	44.4 (1 3/4")	126	TS3594-1	YS3594-6A
34.9	106.3	44.4 (1 3/4")	130	TS34106-1	YS34106-6A
35	106.3	44.4 (1 3/4")	130	TS35106-1-G	YS35106-6A-G
36	89	44.4 (1 3/4")	128	TS3689-1	YS3689-6A
39	118	44.4 (1 3/4")	140	TS39118A	YS39118-6A
42	104.5	44.4 (1 3/4")	140	TS42104-1	YS42104-6A

YOKES SPLINE – 8 SPLINES, 38 MM (1 1/2")








D (mm)	L (mm)	Ds (mm)	H (mm)	Part number	New part number
22	54	38 (1 1/2")	94	TS2254-8	YS2254-8
23.8	61.3	38 (1 1/2")	102	TS2361-8	YS2361-8
27	70	38 (1 1/2")	102	TS2770-8	YS2770-8
27	74.6	38 (1 1/2")	107	TS2774-8	YS2774-8
28	73	38 (1 1/2")	105	TS2873-8	YS2873-8
30.2	80	38 (1 1/2")	112	TS3080-8	YS3080-8
30.2	92	38 (1 1/2")	120	TS3092-8	YS3092-8
32	76	38 (1 1/2")	120	TS3276-8	YS3276-8
34.9	94	38 (1 1/2")	126	TS3594-8	YS3594-8
34.9	106.3	38 (1 1/2")	98	TS34106-8	YS34106-8
35	98	38 (1 1/2")	120	TS3598-8	YS3598-8
36	89	38 (1 1/2")	130	TS3689-8	YS3689-8
39	118	38 (1 1/2")	142	TS39118-8	YS39118-8
39	118	42	140	TS39118-8B	YS39118-8-42
42	104.5	38 (1 1/2")	140	TS42104-8	YS42104-8

YOKES SPLINE – 20 SPLINES, 44.4 MM (1 3/4")






D (mm)	L (mm)	Ds (mm)	H (mm)	Part number	New part number
30.2	80	44.4 (1 3/4")	120	TS3080-20	YS3080-20
30.2	92	44.4 (1 3/4")	120	TS3092-20	YS3092-20
32	76	44.4 (1 3/4")	120	TS3276-20	YS3276-20
34.9	94	44.4 (1 3/4")	126	TS3594-20	YS3594-20
34.9	106.3	44.4 (1 3/4")	126	TS34106-20	YS34106-20
35	106.3	44.4 (1 3/4")	126	TS35106-20-G	YS35106-20-G
35	98	44.4 (1 3/4")	120	TS3598-20	YS3598-20
36	89	44.4 (1 3/4")	120	TS3689-20	YS3689-20
39	118	44.4 (1 3/4")	140	TS39118-20	YS39118-20
42	104.5	44.4 (1 3/4")	140	TS42104-20	YS42104-20

YOKES SPLINE – 6 SPLINES, 28.6 MM (1 1/8")






D (mm)	L (mm)	Ds (mm)	H (mm)	Part number	New part number
23.8	61.3	28.6 (1 1/8")	102	TS2361-2	YS2361-6-28
27	74.6	28.6 (1 1/8")	107	TS2774-2	YS2774-6-28

YOKES SPLINE – 21 SPLINES, 34.9 MM (1 3/8")








D (mm)	L (mm)	Ds (mm)	H (mm)	Part number	New part number
22	54	34.9 (1 3/8")	102	TS2254-21	YS2254-21
23.8	61.3	34.9 (1 3/8")	102	TS2361-21	YS2361-21
27	70	34.9 (1 3/8")	102	TS2770-21	YS2770-21
27	74.6	34.9 (1 3/8")	102	TS2774-21	YS2774-21
28	73	34.9 (1 3/8")	105	TS2873-21	YS2873-21
30.2	80	34.9 (1 3/8")	120	TS3080-21	YS3080-21
30.2	92	34.9 (1 3/8")	120	TS3092-21	YS3092-21
30.2	106.3	34.9 (1 3/8")	120	TS30106-21	YS30106-21
32	76	34.9 (1 3/8")	120	TS3276-21	YS3276-21
34.9	94	34.9 (1 3/8")	126	TS3594-21	YS3594-21
34.9	106.3	34.9 (1 3/8")	132	TS34106-21	YS34106-21
35	106.3	34.9 (1 3/8")	128	TS35106-21-G	YS35106-21-G
35	98	34.9 (1 3/8")	120	TS3598-21	YS3598-21
36	89	34.9 (1 3/8")	120	TS3689-21	YS3689-21
39	118	34.9 (1 3/8")	140	TS39118-21	YS39118-21
42	104.5	34.9 (1 3/8")	140	TS42104-21	YS42104-21

YOKES INNER - TUBE TRIANGLE






Ø D (mm)	Lenght L (mm)	Diameter D1 (D2) (mm)	Height H (mm)	Ø Slide ring (mm)	Catalog number
22	54	26	67	33/55	YT2254-264
22	54	33	67	40/60	YT2254-332
23.8	61.3	29	75	40/55	YT2361-294
23.8	61.3	36	75	46/60	YT2361-363
27	70	36	95	46/60	YT2770-364
27	70	43.5	95	53/65	YT2770-433
27	74.6	36	85	46/60	YT2774-364
27	74.6	43.5	85	53/65	YT2774-433
28	73	36	85	46/60	YT2873-364
28	73	43.5	85	53/65	YT2873-433
30.2	80	45	98	54/75	YT3080-454
30.2	80	51.6	98	62/80	YT3080-523
30.2	92	45	105	60/75	YT3092-455
30.2	92	54	105	68/80	YT3092-544
30.2	106.3	45	118	60/75	YT30106-455
30.2	106.3	54	118	68/80	YT30106-544
32	76	45	98	54/75	YT3276-455
32	76	54	98	62/80	YT3276-544
34.9	106.3	54	120	68/90	YT34106-544
34.9	106.3	63	120	82/97	YT34106-634
34.9	106.3	45	120	60/75	YT34106-454-G

YOKES INNER - TUBE TRIANGLE






Ø D (mm)	Lenght L (mm)	Diameter D1 (D2) (mm)	Height H (mm)	Ø Slide ring (mm)	Catalog number
35	106.3	54	120	68/90	YT35106-545-P
35	106.3	63	120	82/97	YT35106-634-P
34.9	94	45	106	60/75	YT3594-455
34.9	94	54	106	68/80	YT3594-544
35	98	45	103	54/75	YT3598-454
35	98	52	103	62/80	YT3598-523
35	98	54	103	62/80	YT3598-544
36	89	45	105	60/75	YT3689-455
36	89	54	115	68/80	YT3689-544

YOKES INNER - TUBE LEMON






Ø D (mm)	Lenght L (mm)	Diameter D1 (D2) (mm)	Height H (mm)	Ø Slide ring (mm)	Catalog number
22	54	23.5 (31)	66	40/55	YL2254-235
22	54	23.5 (31)	80	34/55	YL2254-235-P
22	54	29.8 (39)	66	40/60	YL2254-303
23.8	61.3	34.5 (40)	75	52/60	YL2361-344
23.8	61.3	41 (48)	75	53/65	YL2361-413
23.8	61.3	41 (48)	80	52/60	YL2361-413-P
27	70	34.5 (40)	95	46/60	YL2770-344
27	70	41 (48)	90	50/65	YL2770-413
27	74.6	34.5 (40)	85	50/60	YL2774-344
27	74.6	34.5 (40)	94	46/60	YL2774-344-P
27	74.6	41 (48)	85	50/65	YL2774-413
27	74.6	41 (48)	90	53/65	YL2774-413-P
27	74.6	48.3 (58.5)	85	62/80	YL2774-484
27	74.6	39.7 (49)	85	62/75	YL2774-395
30.2	80	39.7 (49)	100	60/75	YL3080-395
30.2	80	48.3 (58.5)	100	68/80	YL3080-484
30.2	92	39.7 (49)	105	60/75	YL3092-395
30.2	92	48.3 (58.5)	105	68/80	YL3092-484
32	76	39.7 (49)	92	62/75	YL3276-395
32	76	39.7 (49)	100	60/75	YL3276-395-P
32	76	48.3 (58.5)	92	62/80	YL3276-484
32	76	48.3 (58.5)	100	68/80	YL3276-484-P
36	89	39,7 (49)	115	60/75	YL3689-395
36	89	48,3 (58,5)	115	68/80	YL3689-484

YOKES INNER - TUBE STAR








Ø D (mm)	Lenght L (mm)	Diameter D1 (D2) (mm)	Height H (mm)	Ø Slide ring (mm)	Catalog number
30.2	92	51 (37)	105	62/75	YS3092-510
30.2	92	51 (37)	105	60/75	YS3092-510-P
30.2	92	61 (47)	105	68/80	YS3092-614
30.2	106.3	51 (37)	118	62/75	YS30106-510
30.2	106.3	51 (37)	118	60/75	YS30106-510-P
30.2	106.3	61 (47)	117	62/80	YS30106-614
30.2	106.3	61 (47)	117	68/80	YS30106-614-P
32	76	51 (37)	92	62/75	YS3276-510
32	76	61 (47)	92	62/80	YS3276-614
34.9	106.3	51 (37)	120	68/90	YS34106-510
34.9	106.3	61 (47)	120	82/97	YS34106-614
35	106.3	51 (37)	120	60/75	YS35106-510-P
35	106.3	61 (47)	120	68/80	YS35106-614-P
36	89	51 (37)	105	60/75	YS3689-510-P
36	89	51 (37)	110	62/75	YS3689-510
36	89	61 (47)	110	62/80	YS3689-614
36	89	61 (47)	110	68/80	YS3689-614-P
39	118	51 (37)	130	68/75	YS39118-510
39	118	61 (47)	130	68/80	YS39118-614
42	104.5	51 (37)	116	68/90	YS42104-616
42	104.5	71 (57.5)	116	82/97	YS42104-715

YOKES TUBE / SPLINE INNER






Ø Diameter D (mm)	Joint hight L (mm)	Number of splines/diameter Ds (mm)	Hole diameter D1 (mm)	Fork height H (mm)	Groove height H1 (mm)	Catalog number
35	98	8 / 38	55.2	84	15	YS2774-345
39	118	8 / 42	55.2	100	15	YS3276-400

YOKES BORE






Ø D (mm)	Lenght L (mm)	Diameter D1 (mm)	Height H (mm)	Wedge width D2	Catalog number
22	54	25	89	8	YK2254-25
22	54	30	89	8	YK2254-30
23.8	61.3	25	98	8	YK2361-25
23.8	61.3	30	98	8	YK2361-30
27	70	25	92	8	YK2770-25
27	70	30	92	10	YK2770-30
27	74.6	25	92	8	YK2774-25
27	74.6	30	105	8	YK2774-30
27	74.6	35	105	8	YK2774-35

YOKES BORE


Ø D (mm)	Lenght L (mm)	Diameter D1 (mm)	Height H (mm)	Wedge width D2	Catalog number
28	73	25	84	8	YK2873-25
28	73	30	84	8	YK2873-30
30.2	92	30	118	8	YK3092-30
30.2	92	35	118	8 + 10	YK3092-35
30.2	92	35	118	8	YK3092-35-1
32	76	30	115	8	YK3276-30
32	76	35	115	8	YK3276-35
35	98	30	120	8	YK3598-30
35	98	35	120	10	YK3598-35
39	118	35	140	10	YK39118-35
39	118	40	140	12	YK39118-40



YOKES PROFILE HOLE








Ø Diameter D (mm)	Joint hight L (mm)	Hole diameter / edge length Ø (mm)	Lenght H (mm)	Catalog number
23.8	61.3	circle Ø 25	85	YP2361-C25
27	70	circle Ø 22	92	YP2770-C22
27	70	circle Ø 25	92	YP2770-C25
27	70	hexagon Ø 28.6 / 32.8 (hole diameter)	101	YP2770-H29
27	74	circle Ø 35	90	YP2774-C35
28	73	square 28 x 28	85	YP2873-S28
28	73	hexagon Ø 28.6 / 32.8 (hole diameter)	105	YP2873-H29
30.2	92	circle Ø 35	104	YP3092-C35
32	76	circle Ø 35	105	YP3276-C35
32	76	hexagon Ø 28.6 / 32.8 (hole diameter)	110	YP3276-H29
35	98	square 30.2 x 30.2	120	YP3598-S30
35	98	hexagon Ø 28.6 / 32.8 (hole diameter)	120	YP3598-H29
36	89	hexagon Ø 28.6 / 32.8 (hole diameter)	128	YP3689-H29

Attention: C - cirlce, **H** - hexagon, **S** - square

YOKES TUBE INNER






Ø D (mm)	Joint Height L (mm)	Hole diameter / outside diameter D1 / D2 (mm)	Spline hight H (mm)	H1 (mm)	Catalog number
28	73	46.2 / 31	70	12	YO2873-45-70
35	98	55.2 / 42	82	15	YO3598-55-82
35	98	55.2 / 42	89	30	YO3598-55-89

Note: **H** - High

WIDE ANGLE JOINT CENTRAL YOKES 50°







UJ dimensions (mm) (O) x (D)	Ø Diameter S (mm)	Height H (mm)	ØB ball diameter	Catalog number
23.8 x61.3	-	80	-	WJCY2361A
27 x 74.6	-	90	-	WJCY2774A
30.2 x 92	-	100	-	WJCY3092A



UJGMG

Quality is a measure of success

禹城未来农业机械有限公司

YUCHENG FUTURE AGRICULTURE MACHINERY CO. LTD.

Shop 114, Floor 1, Building W23, Ruitong Jiayuan II Area,
South of Zhannan Road, Yucheng City, Dezhou, Shandong
Province 251200, China
Phone: +86-180-5340-8151
Email: info@ujgmg.com
Website: www.ujgmg.com